

Wrap Up: Restoring and Preserving Urban Tree Canopy for Stormwater Management in Apex, North Carolina

Presentation to Town Council August 7, 2018



Pilot Tree Canopy Project


GIC and state forestry agencies concerned about flooding and implementing cost effective solutions funded 12 communities in 6 states to develop pilot projects. These projects demonstrate how we can best utilize trees for stormwater management.

SC, NC, GA, FL, AL, VA

NC: Apex & Wilmington



Flooding in Apex



Project Goal

This project's goal was to help Apex map, evaluate, protect and restore its urban forests for improved stormwater management and clean water.

Urban forests are a vital tool in managing and reducing runoff.

This case booklet details our findings.



TREES TO OFFSET STORMWATER

Case Study 02: Apex, NC



Trees: Create Healthy Communities

- ❑ Access to fitness opportunities. (addresses obesity, nature deficit disorders)
- ❑ Clean air – trees absorb pollutants, VOCs, filter runoff, cool the town. (combat asthma)
- ❑ Well being and mental health - - people heal faster when they can see or access green. (hospitals need this for patients, reduces absenteeism of workers)
- ❑ Less crime occurs near trees. (issue especially for downtowns and public housing areas)
- ❑ Employees will exercise if they can access green where they work and on the way to work. (addresses employee health)





This parking lot could be retrofitted so we get less of this ...

One acre of pavement releases 36 times more runoff than a forest.

During a rainfall event of one inch, one acre of forest will release 750 gallons of runoff, while a parking lot will release 27,000 gallons.

(PennState Extension).




Flooding in Apex

Trees: The original – and best – green infrastructure!

Trees give us cleaner air, shade, beauty and stormwater benefits at a cost that is far cheaper than engineered systems!

Estimates for the amount of water a typical street tree can intercept in its crown, range from 760 gallons to 4000 gallons per tree per year, depending on species.




Urban Tree Canopy

20% of annual rainfall or > retained in crown

(Xiao et al., 2000)


Delays runoff up to 3.7 hours

↑ infiltration capacity of soils



Water flow strategies

How do we make this...



function like this?



Calculating Stormwater Uptake by Trees – It's complicated!



Tree Over Parking Lot



Tree Over Natural Forest Cover




Tree Over Sidewalk



Tree Over Lawn

Using imagery to create new land cover map: what is impervious and pervious?


Image classification is the process of breaking an image into spatial land coverages (including tree canopy, other vegetation, impervious surfaces such as buildings, streets and parking lots).



Results!


Imperviousness = 27 %
tree canopy = 46%

Town of Apex Municipal Boundary




■ Tree Canopy ■ Non-Tree Vegetation ■ Impervious ■ Bare Earth

2030 Land Use Map Area




■ Tree Canopy ■ Non-Tree Vegetation ■ Impervious ■ Bare Earth

Apex Land Cover



Apex Percent Street Tree Canopy




Where can we fit more trees?

Possible Planting Area (PPA)

Future scenarios – Where can we plant trees for maximum benefits? For example, take up the most stormwater or revitalize a commercial corridor?



Apex Potential Planting Area





Land Cover

"Downtown Overlay" Example




NAIP
Leaf on Imagery
+
"Grey" Infrastructure



Potential Planting Area

"Downtown Overlay" Example



Areas that CAN NOT be planted are excluded

Wetlands	Ballfields
Roads	Canal
Waterbodies	Cemeteries
Stormwater Ponds	Floating/Emergent Aquatic Vegetation
Stormwater Pipes	Golf courses
Sidewalks	Industrial Cooling Pond
Airports	Isolated Freshwater Swamp
Canals	Marshes
Parks and Trails	Rock Quarries
Railroads	Sandhill Lake
Buildings	Sawgrass
	Sinkhole Lake

Resulting in areas that CAN be planted



An additional 15.4% of the
downtown area can be planted
with Trees

Potential Canopy Area

"Downtown Overlay" Example



An additional 15.4% of downtown could be planted with trees

- Results in a 19.2% canopy increase.

If planting 20 and 40 foot diameter trees:

- 4401 trees with 40 feet diameter plus
- 5859 trees with 20 feet diameter

Stormwater Uptake Calculations: What if canopy is lost to development

				1-inch storm	
What if? -Loss of Canopy				P	1.00
<i>Change % below</i>		Land Cover Class		Q (in)	Runoff (gals)
30%		Tree over pervious		0.02	2,158,556
Increase in Runoff Yield		Tree over impervious		0.59	895,898
26%		Pervious		0.07	4,482,452
<i>for 1-inch storm</i>		Water			
Impervious Ratio*		Impervious		0.79	63,550,649
<i>Change % below</i>		Bare earth		0.63	10,035,310
65%					81,122,865
* portion of canopy loss that becomes impervious surface		Terms			
		CN Curve number			
		S Potential maximum retention (in)			
		Ci Canopy interception term (in)			
		Ia Initial abstraction (in)			
		P Precipitation (in)			
		Q Runoff (in)			

That's 811,000 bathtubs of stormwater!

Stormwater Uptake Calculations: Change Scenarios

....in the Unincorporated Area

				1-in storm	
What if? -Loss of Canopy <i>Change % below</i>				P	1.00
				Q (in)	Runoff (gals)
30%		Land Cover Class			
		Tree over pervious		0.00	17,731
Increase in Runoff Yield		Tree over impervious		0.59	829,495
119%		Pervious		0.05	6,425,307
<i>for i-inch storm</i>		Water			
Impervious Ratio*		Impervious		0.79	24,472,949
<i>Change % below</i>		Bare earth		0.63	18,385,509
65%					50,130,990
* portion of canopy loss that becomes impervious surface		Terms			
		CN	Curve number		
		S	Potential maximum retention (in)		
		Ci	Canopy interception term (in)		
		Ia	Initial abstraction (in)		
		P	Precipitation (in)		
		Q	Runoff (in)		

That's half a million bathtubs of stormwater!

Stormwater Uptake Calculations: Change Scenarios

Modeling Possible Canopy Area and Stormwater Benefit in the Incorporated Area

								1-inch storm	
								P	1.00
								Q	
What If Analysis	Land Cover Class						Runoff (in)	Runoff (gals)	
Percent of PCA									
Change % below									
30%									
						Tree over pervious	0.02	2,747,067	
						Tree over impervious	0.59	4,104,173	
						Pervious	0.07	1,940,962	
						Water			
						Impervious	0.79	59,216,163	
						Bare earth	0.63	10,035,986	
								78,044,351	
						Decrease in Runoff Yield	1.1%	923,554	

That's 780,000 more bathtubs of stormwater!

Policy: Recommended code and policy improvements to reduce imperviousness and reduce runoff



Tree Plantings Along Streets

Current:



Potential:



Tree plantings are currently prohibited in rights-of-way.

Recommendation:

- Set standards for and allow tree plantings in ROWs
- Use removable pavers to allow for tree growth in tight spaces

Tree Planting Lists



Versus




The Town and developers frequently plant non-natives.

Recommendation:

- Develop a list of trees that will thrive and benefit wildlife and insects in Apex
- Require that 60% of species planted on a site consist of natives
- Develop a list of trees that should not be planted under any circumstances

Stormwater Fee



Apex doesn't currently have a stormwater utility which could charge a fee per unit of stormwater generated.

Recommendation:

- Create a stormwater utility like other neighboring towns have
- Implement a stormwater fee (the greater the impervious area, the higher the fee)
- Provide credits for effectively managing stormwater onsite

Proactive Tree Work



Tree work conducted currently is generally reactive.

Recommendation:

- Identify, through tree risk assessments, the locations where pruning needs to occur before limbs damage property and grey infrastructure
- Request an increase in funds for proactive monitoring and management of the urban forest
- Keep detailed logs of tree work and locations

Urban Forestry Budget



Versus



The town does not have enough funds to manage a thriving urban forest.

- Request an increase in funds for monitoring and management of the urban forest.
- Prepare better for storms and increase public safety
- Fund more review of plans and better care for trees

Time for Questions?





END

Green Infrastructure Center Inc.

www.gicinc.org

434-244-0322